

Product specification

Product name	Lifter CSYQ2000A				
Item	Name	Symbol	SI	CGS	
Shape	Radian	R	426	mm	42.6 cm
	Lengh	L	378	mm	37.8 cm
	Width	W	234	mm	23.4 cm
	Height	H	212	mm	21.2 cm
	Direction of magnetization	M	Assiale		
	Surface treatment	-	-	μm	
Measuring point	Surface flux density	B	-	mT	- G
	Attractive force	F	2000	kgf	2000000 gf
	Magnetic flux density on load point	Bd	-	mT	- G
	Total flux	Dia o	-	Wb	- Mx
	Permeance coefficient	Pc	-	Pc	-
	Operationg temperature range	Tw	-	deg C	- deg F
	Operationg temperature range	Tw	-	deg C	- deg F
	Material grade	Lifter	Alnico5		
Material characteristics	Remanence	Br	-	mT	- kG
	Coericive forces	Hcb	-	kA/m	- kOe
	Intrinsic coercivity	Hcj	-	kA/m	- kOe
	Maximum energy product	BH	-	kJ/m3	- MGOe
	Temperature coefficient	Br	-	%/deg C	- %/deg F
		Hcj	-	%/deg C	- %/deg F
	Max. operating temperature	Tw	-	deg C	- deg F
	Curie temperature	Tc	-	deg C	- deg F
	Density	P	-	kg/m3	-
	Weight	Net	125	kg	125000 g
Remark	-				

Information on these magnetic characteristics are approximate and reference values. When using the calculated values for actual magnetic application products and research and development of the application of magnetic products, use these values as reference values. We are not responsible for the results from the reference values. The details can be found by referring to the product specifications. All specifications are subject to change without notice.